


FIG._1

+

2/13



+




FIG._3

 \perp




FIG._4





FIG._5






FIG._7

- 702

	1 D D	40	<u> </u>	6		4	D \triangle	10	
	0	ပြ		FIG		Ω			
	ш	Щ			906	0		O	
	ш	ш				,88,	\ \ !	B.3 'HI-YLD'	
	Ω	Δ	YIELD.			B.2 'BBB'	7=7	B.2 'HI-YLD'	YIELD.
908 -	O	O m	HIGH GRADE. percent is considered HIGH YIELD rofile ED_Security			B.1 'A'	7=7	B.1 'HI-YLD'	red HIGH
-804	B - Z - B	HI-YLD' (HI-YLD'	SRADE. It is considere ED_Security			A.2 'A'	Ambiguous with B.1	A.2 'HI-GRD'	GRADE. of is considere ED_Security
•	∀ , \	A 'HI-GRD'.	d HIGH GF 7 percent Profile E			A.1	A Ambig	A.1 'HI-GRD'	onsidered HIGH GRADE. equal to 7 percent is considered HIGH YIELD SecurityProfile ED_Security
	Values { 'A', 'BBB', 'BB' } { >= 7, < 7 }	Values { 'HI-GRD' , 'HI-YLD' } Overrides	A security with a rating equal to A is considered HIGH GRADE A security with a yield greater than or equal to 7 percent is consciulty Position ED_Account ED_SecurityProfile ED_Security		904	Values { 'A', 'BBB', 'BB'}	{>=7,<7}	Values { 'HI-GRD' , 'HI-YLD' } Overrides	rating equal to A is convield greater than or ED_Account ED_
Rules	Conditions 1 rating 2 yield 3	Actions 1 dProfile	A A security with a B A security with a ED_SecurityPosition	FIG8	Rules	Conditions 1 rating	2 yield 3	Actions 1 dProfile	Rule Statements A A security with a B A security with a ED_SecurityPosition

FIG._11

Conditions Values Values Yalues Yalue	Rules						1006			
{ 'A', 'BBB', 'BB' } 'A' - 'BBB' 'BB' 'BB' 'BB'	Conditions	Values	A	B	ပ	۵	Ш	1	9	4
(>= 7, < 7 }	1 rating	{ 'A' , 'BBB' , 'BB' }	,X,	ı	,88B,	'BB'				
Values Values Values	7	{ >= 7 , < 7 }	1	2=<	/ >	<i>L</i> >				D
Values Values A B C D E F G {'HI-GRD' 'HI-YLD'} 1004 y with a rating equal to A is considered HIGH GRADE.	.3		▽							$\overline{\ }$
Values Values { 'HI-GRD', 'HI-YLD' } 1004 y with a rating equal to A is considered HIGH GRADE.										
 { 'HI-GRD' , 'HI-YLD' } 1004 — x with a rating equal to A is considered HIGH GRADE. y with a yield greater than or equal to 7 percent is considered HIGH YIELD. 'HI-GRD' 'HI-YLD' 'HI-GRD' 'HI-YLD' 'HI-YLD' 'HI-GRD' 'HI-YLD' 'HI-YL' 'HI-YLD' 'HI-YL' 'HI-YL' 'HI-YL' 'HI-YL' 'HI-YL' 'HI-YL' 'HI-YL	Actions	Values	⋖	В	ပ	D	Ш	ட	හ	
1004 — Overrides 2 1 1 1 1 1 1 1 1 1		{ 'HI-GRD' , 'HI-YLD' }	'HI-GRD'	,HI-YLD'						40
y with a rating equal to A is considered HIGH GRADE. y with a yield greater than or equal to 7 percent is considered HIGH YIELD.		Overrides	2							\exists
y with a rating equal to A is considered HIGH GRADE. y with a yield greater than or equal to 7 percent is considered HIGH YIELD.										
A security with a rating equal to A is considered HIGH GRADE. A security with a yield greater than or equal to 7 percent is considered HIGH YIELD.	Rule Statements									
A security with a yield greater than or		with a rating equal to A is considere	d HIGH G	RADE.						40
		with a yield greater than or equal to	7 percent	is consider	ed HIGH	YIELD.				

FIG._10

4 D 40 Δ G ᠐ Ш ,DOG, ص (88) ,DOG, 'BBB' 'HI-YLD' Ω В II 'HI-GRD' $\triangleleft |\triangleleft|$ ∇ Overrides {'HI-GRD', 'HI-YLD', 'DOG'] ,BB, >= 7, < 7 Values Values ,BBB, Conditions dProfile Actions 1 rating 2 yield Rules

A security with a yield greater than or equal to 7 percent is considered HIGH YIELD. A security with a rating lower than A and a yield lower than 7 is a DOG. ED_SecurityPosition | ED_Account | ED_SecurityProfile | ED_Security A security with a rating equal to A is considered HIGH GRADE. ⋖ മ

Rule Statements

4

D

1







FIG._12

							==													一		-			1/1	\neg	
NZ,	-	4					-	.						<u>2</u>						<u>_</u>	-			<u>-</u>	۵	ᆀ	
Z							2	\$						<u>s</u>					ADE						i 7 א		
							5	5 E					1	i Ses					Ę	5					thar		
							=	ב ב						bei bei					HG	-					owe		
							-	ered					-	2					ered	5					ield		
							-	DISIC						edne					pisuc						daλ		98
							-) S						มา or					<u>.v.</u>	2					ม ลา		1308
							-	message [A security with a rating equal to A is considered HIGH GRADE.]					► info [3]	er tna					Into [2]	2					mily [4] message [A security with a rating lower than and a yield lower than 7 is a		<i>Y</i>
	왥							edne					-	great					9	3					y low		
] g	Fest Results						=	ating					:	jeld (pting	2					ratinç		
# ≝	st F							na E					_	a S					1	3					itha	H	
ligilia j	P					_	•	y Wit					:) }				_	tv wi	<u>.</u>					ity wi		
 ta\P			5	-		dProfile [HI-GRD]		Scurit	5	_		dProfile [HI-YLD]	•	ecuri	Σ	•		dProfile [HI-GRD]			\succeq	ι		(1)	secur		
Day			curity [1]	1		9	:	ĭ. Z	ב ב	Symbol [LKH t] rating [BB]	_	-	;	s (Y	curity [5] symbol [HRHY]	; :		Ŧ	ه لام	<u> </u>	symbol [LRLY]	3B]		dProfile [DOG]	e[A		
io n			三十			<u>e</u> .	_	sage	$\overline{\mathbf{Z}}$	symbol [Lr	<u> </u>	트 [편]		sage [3]		rating [A]	_	<u></u>	[-]	<u> </u>	Symbol [1	rating [BBB]	<u>[0</u>] -	+J ssag		3
cat			Security [1]	symbol [1 rating [A]	, p	rofi	info [1]	mes:	Security [2]	ă i	֓֞֝֟֜֟֝֟֝֟֟֝֟֟֝ <u>֚</u>	rofi	<u></u>	it mes	ž Ž	ting	yield [7]	rofi	Into [2]	<u>.</u>	μğ	ting	yield [6]	Prof	ig L		1
e		_	In S	ra te	Zi.	유,	ا⊒ّٰ	\$	noe	3 5	<u>6</u> .	<u>.</u> #5]⊒.		η » Σ	a S	<u>×</u>	. 는 . 	Ξ[1] 2	S				_		
age] ROOT	ၯၴႃႜႜ		\$	8	Ļ		LE			8	Y			8			ļ			8	8	∏ { ⊚			FIG.
Str		지	Ш			1	⊚-						© -					(6) -	□				٣	,		H
Test - c:\corticon\examples\tradeallocation\Data\Profilling.ct			© -					@)					@						© -						$\overline{\nabla}$	
Kam				$\overline{\ }$			-	5						rating [A]													
le l				symbol [HRLY]				- (symbol [LKHY]	_			Æ					symbol [LRLY]	ŭ								
	Ħ		Ξ	三	Ξ;	<u>.</u> 0	<u>v</u> 5	<u>7</u>	릇	<u>n</u> 5	<u>ন</u> ব	2 6		Έ	$\overline{\Box}$	<u>a</u>	<u>4</u>		필명	5.4	2					Н	1306
	Test Input		Security [1	mpc	g:	בו סו	Ē.	Security [2	gu.	g z	old Profi	Security [3	mb,	ting] pi	rofi	Security [4	ğu.		old Profil	5						1
ن ا	Tes		noe	sy	. जु	¥ 5	2	noe -	જે ે	<u>.</u> _	<u> </u>	5 0	\ \cdot	<u>a</u> (<u>×</u>	늉	ecn	ું જ	<u>.</u>	<u> </u>	5			_		+	\parallel
ist.		₽IM	Ñ	8	3			ັກ [8	§]] <i>(</i> ?		8	3						U						
<u>1</u>		ا ر																									
	1		<u>-</u>					<u> </u>				<u></u>					⊚- —									∇	
	Ī																		-								
N N			9																								
1			1		_	:																					1304
		±	> 2	y S	<u>it</u>	3																					1,
la la		Account	X Tri	֓֞֝֓֓֓֓֟֝֟֓֓֟֟֓֓֓֓֓֓֓֓֟֟֓֓֓֟֓֓֓֓֓֓֓֓֟֓֓֓֓֓֓	א מיני מיני	2																				\dashv	1
Vocabulary		Acc P	Security	N F	2 2	2																					
∥ Š																											
		_	9 (P 9	9 e	•																					
<u> </u>		-													· · · · ·												J _





13 / 13



16._18